



TVS-472XT-i5-4G			
CPU	Intel® Core™ i5 Processor		
CPU Architecture	64-bit x86		
Graphic Processors	Intel® UHD Graphics 630		
Floating Point Unit	Yes		
Encryption Engine	Yes (AES-NI)		
Hardware-accelerated Transcoding	Yes		
System Memory	4 GB SODIMM DDR4 (1 x 4 GB)		
Maximum Memory	64 GB (2 x 32 GB)		
Memory Slot	2 x SODIMM DDR4		
Flash Memory	5GB (Dual boot OS protection)		
Drive Bay	4 x 3.5-inch SATA 6Gb/s, 3Gb/s		
Drive Compatibility	3.5-inch bays: 3.5-inch SATA hard disk drives 2.5-inch SATA hard disk drives 2.5-inch SATA solid state drives		
Hot-swappable	Yes		
M.2 Slot	2 x M.2 2280 PCIe Gen3 x2 slots		
SSD Cache Acceleration Support	Yes		
GPU pass-through	Yes		
Gigabit Ethernet Port (RJ45)	2		
10 Gigabit Ethernet Port	1 x 10GBASE-T (10G/5G/2.5G/1G/100M)		
Jumbo Frame	Yes		
Thunderbolt Port	2 (Thunderbolt™ 3)		

PCIe Slot	2 Slot 1: PCIe Gen 3 x16 (CPU) Slot 2: PCIe Gen 3 x4 (PCH)		
USB 3.2 Gen 1 port	1		
USB 3.2 Gen 2 (10Gbps) Port	2 x Type-C USB 3.2 Gen 2 10Gbps 2 x Type-A USB 3.2 Gen 2 10Gbps		
IR Sensor	Yes (QNAP RM-IR004 & MCE)		
HDMI Output	1, HDMI 2.0 (up to 3840 x 2160 @ 60Hz)		
Form Factor	Tower		
LED Indicators	HDD 1-4, Status, LAN, USB port, M.2 port		
LCD Display/ Button	Yes		
Buttons	Power, Reset, USB Copy		
Dimensions (HxWxD)	188.2 × 199.3 × 279.6 mm		
Weight (Net)	5.4 kg		
Weight (Gross)	7.01 kg		
Operating Temperature	0 - 40 °C (32°F - 104°F)		
Storage Temperature	-20 - 70°C (-4°F - 158°F)		
Relative Humidity	5-95% RH non-condensing, wet bulb: 27°C (80.6°F)		
Power Supply Unit	250W, 100-240V		
Power Consumption: HDD Sleep Mode	24.14 W		
Power Consumption: Operating Mode, Typical	37.32 W		
Fan	System fan: 1 x 120mm, 12VDC CPU fan: 2 x 60mm blower fan		
System Warning	Buzzer		
Kensington Security Slot	Yes		
Max. Number of Concurrent Connections (CIFS) - with Max. Memory	700		

Note: Use only QNAP memory modules to maintain system performance and stability. For NAS devices with more than one memory slot, use QNAP modules with identical specifications.

Warning: Using unsupported modules may degrade performance, cause errors, or prevent the operating system from starting. The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

Product images are for illustrative purposes only and may differ from the actual product. Due to differences in monitors, colors of products may also appear different to those shown on the site.

Designs and specifications are subject to change without notice.