



TVS-672X-i3-8G				
CPU	Intel® Core™ i3 Processor			
CPU Architecture	64-bit x86			
Graphic Processors	Intel® UHD Graphics 630			
Floating Point Unit	Yes			
Encryption Engine	Yes (AES-NI)			
Hardware-accelerated Transcoding	Yes			
System Memory	8 GB SODIMM DDR4 (1 x 8 GB)			
Maximum Memory	64 GB ( 2 x 32 GB)			
Memory Slot	2 x SODIMM DDR4			
Flash Memory	5GB (Dual boot OS protection)			
Drive Bay	6 x 3.5-inch SATA 6Gb/s, 3Gb/s			
Drive Compatibility	3.5-inch bays: 3.5-inch SATA hard disk drives 2.5-inch SATA hard disk drives 2.5-inch SATA solid state drives			
Hot-swappable	Yes			
M.2 Slot	2 x M.2 2280 PCIe Gen3 x2 slots			
SSD Cache Acceleration Support	Yes			
GPU pass-through	Yes			
Gigabit Ethernet Port (RJ45)	2			
10 Gigabit Ethernet Port	1 x 10GBASE-T (10G/5G/2.5G/1G/100M)			
Wake on LAN (WOL)	Yes			
Jumbo Frame	Yes			

PCIe Slot	2 Slot 1: PCIe Gen 3 x16 (CPU) Slot 2: PCIe Gen 3 x4 (PCH)			
USB 3.2 Gen 1 port	1			
USB 3.2 Gen 2 (10Gbps) Port	2 x Type-C USB 3.2 Gen 2 10Gbps 2 x Type-A USB 3.2 Gen 2 10Gbps			
IR Sensor	Yes (QNAP RM-IR004 & MCE)			
HDMI Output	1, HDMI 2.0 (up to 3840 x 2160 @ 60Hz)			
Form Factor	Tower			
LED Indicators	HDD 1-6, Status, LAN, USB port, M.2 port			
LCD Display/ Button	Yes			
Buttons	Power, Reset, USB Copy			
Dimensions (HxWxD)	188.2 × 264.3 × 279.6 mm			
Weight (Net)	6.553 kg			
Weight (Gross)	8.07 kg			
Operating Temperature	0 - 40 °C (32°F - 104°F)			
Storage Temperature	-20 - 70°C (-4°F - 158°F)			
Relative Humidity	5-95% RH non-condensing, wet bulb: 27°C (80.6°F)			
Power Supply Unit	250W, 100-240V			
Power Consumption: HDD Sleep Mode	26.52 W			
Power Consumption: Operating Mode, Typical	45.6 W			
Fan	System fan: 1 x 120mm, 12VDC CPU fan: 2 x 60mm blower fan			
System Warning	Voice prompts or Buzzer			
Kensington Security Slot	Yes			
Max. Number of Concurrent Connections (CIFS) - with Max. Memory	2500			

Note: Use only QNAP memory modules to maintain system performance and stability. For NAS devices with more than one memory slot, use QNAP modules with identical specifications.

Warning: Using unsupported modules may degrade performance, cause errors, or prevent the operating system from starting. The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

Product images are for illustrative purposes only and may differ from the actual product. Due to differences in monitors, colors of products may also appear different to those shown on the site.

Designs and specifications are subject to change without notice.