

Section 508 Evaluation Template

This Voluntary Product Accessibility Template (VPAT) provides guidance on the accessibility characteristics of the **NetApp FAS2220 Controller**.

Name of Product: NetApp FAS2220 Controller

The current version of the **NetApp FAS2220 Controller** was tested by Accessibility Partners for conformance with Section 508 of the Rehabilitation Act, specifically, the U.S. Access Board's Technical Requirements.

VPAT™ Summary Table Voluntary Product Accessibility Template®

VPAT Summary	Total Standards	Total Applicable Standard	Supports	Exceptions
Section 1194.21 Software Applications and Operating Systems	12	0	0	0
Section 1194.22 Web-based Internet Information and Applications	16	0	0	0
Section 1194.23 Telecommunications Products	14	3	3	0
Section 1194.24 Video and Multi-media Products	5	0	0	0
Section 1194.25 Self-Contained, Closed Products	13	8	8	0
Section 1194.26 Desktop and Portable Computers	4	3	3	0
Section 1194.31 Functional Performance Criteria	6	6	6	0
Section 1194.41 Information, Documentation and Support	3	3	2	1
Total	73	23	22	1



Section 1194.21 Software Applications and Operating Systems -- Detail VPAT™

Voluntary Product Accessibility Template®

Voluntary Product Accessibility Template®			
Criteria	Supporting Features	Remarks and explanations	
(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	Not Applicable	These criteria do not apply to controllers.	
(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.	Not Applicable	These criteria do not apply to controllers.	
(c) A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.	Not Applicable	These criteria do not apply to controllers.	
(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive	Not Applicable	These criteria do not apply to controllers.	



Technology. When an image represents a program element, the information conveyed by the image must also be available in text.		
(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.	Not Applicable	These criteria do not apply to controllers.
(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	Not Applicable	These criteria do not apply to controllers.
(g) Applications shall not override user selected contrast and color selections and other individual display attributes.	Not Applicable	These criteria do not apply to controllers.
(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	Not Applicable	These criteria do not apply to controllers.
(i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Not Applicable	These criteria do not apply to controllers.
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	Not Applicable	These criteria do not apply to controllers.
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Not Applicable	These criteria do not apply to controllers.



(I) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and 57submission of the form, including all directions and cues.	Not Applicable	These criteria do not apply to controllers.
--	-------------------	---

Section 1194.22 Web-based Internet information and applications -- Detail **VPAT** TM Voluntary Product Accessibility Template® Supporting Criteria Remarks and explanations **Features** (a) A text equivalent for every non-text element shall be Not provided (e.g., via "alt", These criteria do not apply to controllers. Applicable "longdesc", or in element content). (b) Equivalent alternatives for any multimedia presentation Not These criteria do not apply to controllers. shall be synchronized with the Applicable presentation. (c) Web pages shall be designed so that all information conveved with color is also Not These criteria do not apply to controllers. available without color, for Applicable example from context or markup. (d) Documents shall be organized so they are readable Not These criteria do not apply to controllers. without requiring an associated Applicable style sheet. (e) Redundant text links shall be provided for each active Not These criteria do not apply to controllers. region of a server-side image Applicable map. (f) Client-side image maps shall be provided instead of serverside image maps except where Not These criteria do not apply to controllers. the regions cannot be defined Applicable with an available geometric shape.



(g) Row and column headers shall be identified for data tables.	Not Applicable	These criteria do not apply to controllers.
(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	Not Applicable	These criteria do not apply to controllers.
(i) Frames shall be titled with text that facilitates frame identification and navigation	Not Applicable	These criteria do not apply to controllers.
(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Not Applicable	These criteria do not apply to controllers.
(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.	Not Applicable	These criteria do not apply to controllers.
(I) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology.	Not Applicable	These criteria do not apply to controllers.
(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).	Not Applicable	These criteria do not apply to controllers.
(n) When electronic forms are designed to be completed online, the form shall allow people using Assistive Technology to	Not Applicable	These criteria do not apply to controllers.



access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.		
(o) A method shall be provided that permits users to skip repetitive navigation links.	Not Applicable	These criteria do not apply to controllers.
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not Applicable	These criteria do not apply to controllers.

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

Section 1194.23 Telecommunications Products – Detail VPAT™ Voluntary Product Accessibility Template®			
Criteria	Supporting Features	Remarks and explanations	
(a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.	Not Applicable	Not a Telecommunications Product or System	
(b) Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non-proprietary standard TTY signal protocols.	Not Applicable	Not a Telecommunications Product or System	



(c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.	Not Applicable	Not a Telecommunications Product or System
(d) Voice mail, messaging, auto-attendant, and interactive voice response telecommunications systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.	Not Applicable	Not a Telecommunications Product or System
(e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.	Not Applicable	Not a Telecommunications Product or System
(f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.	Not Applicable	Not a Telecommunications Product or System
(g) If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset the volume to the default level after every use.	Not Applicable	Not a Telecommunications Product or System
(h) Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.	Not Applicable	Not a Telecommunications Product or System.
(i) Interference to hearing technologies (including hearing	Not Applicable	Not a Telecommunications Product or System



aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.		
(j) Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery.	Not Applicable	Not a Telecommunications Product or System
(k)(1) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.	Supports	Product has mechanically operated controls or keys that comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.
(k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.	Supports	Product has mechanically operated controls or keys that comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.
(k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat	Not Applicable	Product does not support key repeat functionality.



rate shall be adjustable to 2 seconds per character.		
(k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.	Supports	Product has mechanically operated controls or keys and complies with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.

Section 1194.24 Video and Multi-media Products – Detail VPAT™ Voluntary Product Accessibility Template®			
Criteria	Supporting Features	Remarks and explanations	
(a) All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.	Not Applicable	These criteria do not apply to controllers.	



(b) Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.	Not Applicable	These criteria do not apply to controllers.
(c) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.	Not Applicable	These criteria do not apply to controllers.
(d) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.	Not Applicable	These criteria do not apply to controllers.
(e) Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.	Not Applicable	These criteria do not apply to controllers.

Section 1194.25 Self-Contained, Closed Products – Detail $VPAT^{TM}$ Voluntary Product Accessibility Template® Supporting Criteria Remarks and explanations **Features** (a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive The product can be used by persons with Supports Technology to the product. disabilities without assistive technology. Personal headsets for private listening are not Assistive Technology. (b) When a timed response is Not required, the user shall be A timed response is not required. Applicable alerted and given sufficient time



to indicate more time is required.		
(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	Supports	The product does not have a touchscreen. Its controls comply with 1194.23(k1-4).
(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not Applicable	Biometric forms of identification are not used.
(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.	Not Applicable	Audio is not provided.
(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.	Not Applicable	The product does not have voice output.
(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	Color coding is not the sole means of conveying information.



(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.	Not Applicable	The changing of color and contrast settings is not supported.
(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Supports	Flashing or Blinking text - Blinking does not occur in the prohibited range.
(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.	Supports	Products has operable controls that comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.
(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	Supports	Product has operable controls that comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.
(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24	Supports	Product has operable controls that comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.



inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.		
(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.	Supports	Product has operable controls that comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.

Section 1194.26 Desktop and Portable Computers – Detail VPAT™		
Voluntary	Product Acce	ssibility Template®
Criteria	Supporting Features	Remarks and explanations
(a) All mechanically operated controls and keys shall comply with §1194.23 (k) (1) through (4).	Supports	 Product has mechanically operated controls or keys that comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys. Product has mechanically operated controls or keys that comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum. Product does not support key repeat functionality. Product has mechanically operated controls or keys and complies with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.
(b) If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	Supports	Product does not use touch-operated controls.



(c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not Applicable	Product does not use biometric forms of user identification or control.
(d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards	Supports	NetApp uses publicly available industry standard ports and connectors.

Section 1194.31 Functional Performance Criteria – Detail $VPAT^{TM}$ Voluntary Product Accessibility Template® Supporting Criteria Remarks and explanations **Features** (a) At least one mode of operation and information retrieval that does not require The product may be operated without vision. Status information is available user vision shall be provided, or Supports support for Assistive through the ONTAP software or the Technology used by people Service Processor software. who are blind or visually impaired shall be provided. (b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and The product may be operated without enlarged print output working Supports vision and does not require visual acuity together or independently, or greater than 20/70. support for Assistive Technology used by people who are visually impaired shall be provided. (c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, Does not require user hearing to operate Supports or for information retrieval. or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided



(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	Supports	Does not require user hearing to operate or for information retrieval.
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	Supports	User speech is not required for operations.
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Supports	Operation and information retrieval does not require fine motor control and simultaneous actions. The product can be operated with limited reach and strength.

Section 1194.41 Information, Documentation and Support – Detail VPAT™ Voluntary Product Accessibility Template®

Criteria	Supporting Features	Remarks and explanations
(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge	Supports	Alternative forms of access to product support documentation in alternative formats are currently available by contacting NetApp Customer and Technical Support: Web www.netapp.com at no additional charge to the end user.



(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Supports	Alternative forms of access to descriptions of the accessibility and compatibility features in alternative formats are currently available via NetApp Customer Support and Technical Support Services: www.netapp.com at no additional charge to the end user.
(c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Supports with Exceptions	NetApp Provides support for Technical Support via Online Chat, Telephone and E-mail. At this time, NetApp does not have a dedicated TTY line available.