

HPE ProLiant DL385 Gen11



What's new

- Powered by the 4th Generation AMD EPYC[™] 9004 Series Processors with 5nm technology that supports up to 128 cores at 400W, 1152 MB of L3 Cache, and 24 DIMMs for DDR5 memory up to 4800 MT/s.
- 12 DIMM channels per processor for up to 6 TB total DDR5 memory with increased memory bandwidth and performance, and lower power requirements.
- Advanced data transfer rates and higher network speeds from the PCle Gen5 serial expansion bus, with up to 2x16 PCle Gen5 and two OCP slots.
- Includes HPE Integrated Lights-Out 6 (iLO 6) server management software that enables you to securely configure, monitor, and update your HPE ProLiant Gen11 servers seamlessly from anywhere.
- Supports hot-pluggable, high-availability

Overview

Are you looking for an accelerator-optimized performance solution to run your AI, ML, or Big Data analytics workloads?

The HPE ProLiant DL385 Gen11 server is a 2U 2P solution that delivers exceptional compute performance, upgraded high-speed data transfer rate and memory depth at 2P compute capability. Powered by 4th Generation AMD EPYC™ 9004 Series Processors with up to 128 cores, increased memory bandwidth and capacity, high-speed PCIe Gen5 I/O, enhanced GPU support, and EDSFF storage, the HPE ProLiant DL385 Gen11 server is a superb accelerator-optimized 2U 2P solution.

Enhanced security features with the silicon root of trust from HPE are built into the firmware, creating a digital fingerprint for the AMD Secure Processor to validate safe operation prior to boot.

HPE ProLiant DL385 Gen11 server is an excellent choice for compute and data storage demanding workloads requiring increased core count, and storage and I/O scalability.

Data sheet Page 2

RAID M.2 boot options.

 New features including PCle Gen5 EDSFF support and double-wide GPU support.

Features

Intuitive Cloud Operating Experience: Simple, Self-service, and Automated

HPE ProLiant DL385 Gen11 servers are engineered for your hybrid world. The HPE ProLiant Gen11 servers simplify the way you control your business's compute—from edge to cloud—with a cloud operating experience.

Transform business operations and pivot your team from reactive to proactive with global visibility and insight through a self-service console.

Automate tasks for efficiency in deployment and instant scalability for seamless, simplified support and lifecycle management, reducing tasks and shortening maintenance windows.

These experiences are engineered and built into all HPE ProLiant Gen11 servers, whether purchased as physical servers or consumed as-a-service using HPE GreenLake as your compute and storage demands grow.

Simplify and secure server management from edge to cloud with HPE GreenLake for Compute Ops Management. HPE GreenLake for Compute Ops Management is an as-a-service compute management experience that delivers greater simplicity, agility, and speed across your entire compute landscape, globally.

Trusted Security by Design: Uncompromising, Fundamental, and Protected

The HPE ProLiant DL385 Gen11 server is tied into the silicon root of trust and the AMD Secure Processor, a dedicated security processor embedded in the AMD EPYC system on a chip (SoC), to manage secure boot, memory encryption, and secure virtualization.

HPE ProLiant Gen11 servers use the silicon root of trust to anchor the firmware of an HPE ASIC, creating an immutable fingerprint for the AMD Secure Processor that must be matched exactly before the server will boot. This verifies that malicious code is contained, and healthy servers are protected.

HPE ProLiant Gen11 servers continuously protect healthy servers at the edge by providing rapid detection of security-compromised servers, even to the point of not allowing them to boot if it identifies and contains malicious code, with IDevID certificates installed by default.

HPE ProLiant Gen11 servers provide automated recovery from a security event, including restoration of validated firmware, and facilitating recovery of the operating system, application, data connections, and providing a fast path to bring a server back online and into normal operations.

From silicon to software, from factory to cloud, and from generation to generation, HPE ProLiant Gen11 is engineered with a fundamental security approach to defend against increasingly complex threats through an uncompromising commitment to constant security advancements that are built into our DNA.

Customized Performance for your Workloads: Accelerated, Open, and Efficient

Harness major computer performance. The HPE ProLiant DL385 Gen11 server is powered by the 4th Generation AMD EPYC $^{\rm TM}$ 9004 Series Processors with 5nm technology that supports up to 128 cores, 400W, and 1152 MB of L3 cache.

Advanced data transfer rates and higher network speeds from the PCIe Gen5 serial expansion bus, with up to 8x16 PCIe Gen5 and two OCP slots, improve I/O throughput and reduce latency.

Increased memory bandwidth and performance, and lower power requirements with 12 DIMM channels per processor for up to 6 TB total DDR5 memory.

Provide real-time operational feedback on server performance plus recommendations for fine-tuning BIOS settings to customize for changing business needs.

Data sheet Page 3

Technical specifications HP

HPE ProLiant DL385 Gen11

Processor type AMD Processor family 4th Generation AMD EPYC* Processors Processor number Up to 2 Processor core available Up to 228. depending on the processor Processor cache 64 MB. 128 MB. 25 MB. 364 MB or 1152 MB.13 cache, depending on processor model Processor speed 4.4 GHz maximum, depending on the processor Power supply type 2 Flexible Stor power supplies maximum, depending on model Expansion stors 8 maximum, for detailed descriptions refer to the Outcispecs Maximum memory 60 TB with 256 GB DOR5 Memory storts 24 Memory type HPE DDRS Smart Memory Memory protection features ECC System fan features 6 fans included Network controller Choice of optional CCP plus standup, depending on model Storage controller HPE TIP-Mode Controllers, refer to the Outcispecs for more detail Infrastructure management HPE ILO Standard with Intelligent Provisioning Cembedded). HPE One-View Standard Grequires download. HPE ILO Advanced Premium Security Edition, and HPE One-View Advanced Cequality Inclused Storage Cequality Editions and HPE Support and service coverage for your product can be pure quantity model with Intelligent provisioning repeating worldwide limited warranty and technical support is available a		
Processor number Up to 2 Processor core available Up to 128, depending on the processor Processor cache 64 MB 128 MB 256 MB 384 MB or 1152 MB L3 cache, depending on processor model Processor speed 4.4 GHz maximum, depending on the processor Power supply type 2 Flexible Slot power supplies maximum, depending on model Expansion slots 8 maximum, for detailed descriptions refer to the QuickSpecs Maximum memory 6.0 TB with 256 GB DDRS Memory type HPE DDR5 Smart Memory Memory type HPE DDR5 Smart Memory Memory protection features ECC System fan features 6 fans included Network controller Choice of optional OCP plus standup, depending on model Intrastructure management HPE ILO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download), HPE ILO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses) Compute Constructions and power for its available at a https://www.hpecom/bsu/phecom	Processor type	AMD
Processor core available Up to 128, depending on the processor Processor cache 64 MB, 128 MB, 256 MB, 384 MB or 1152 MB L3 cache, depending on processor model Processor speed 44 GHz maximum, depending on the processor Power supply type 2 Flexible Slot power supplies maximum, depending on model Expansion slots 8 maximum, for detailed descriptions refer to the Ould-Specs Maximum memory 60 TB with 256 GB DDR5 Memory slots 24 Memory type HPE DDR5 Smart Memory Memory protection features ECC System fan features 6 fans included Network controller Choice of optional OCP plus standup, depending on model Storage controller HPE TG-Mode Controllers, refer to the Ould-Specs for more detail Infrastructure management HPE ILO Standard with Intelligent Provisioning (embedded). HPE One-View Standard (requires download). HPE LO Advanced (Fertile Infrases). Compute Ops Management Software Warranty 3/3/3- Server Warranty includes three years of parts, three years of labor, and HPE One-View Advanced (Fertile Infrases). And the product can be purchased locally. For information en availability of service upgrades and the cost for these service upgrades and the CST for the Service promotional, 4 LFF rear drive optional and 2 SFF rear drive opti	Processor family	4th Generation AMD EPYC™ Processors
Processor cache 64 MB, 128 MB, 256 MB, 384 MB or 1152 MB L3 cache, depending on processor model Processor speed 4.4 GHz maximum, depending on the processor Power supply type 2 Flexible Slot power supplies maximum, depending on model Expansion slots 8 maximum, for detailed descriptions refer to the OuickSpecs Maximum memory 6.0 TB with 256 GB DDR5 Memory slots 24 Memory type HPE DDR5 Smart Memory Memory protection features ECC System fan features 6 fans included Choice of optional OCP plus standup, depending on model Storage controller HPE Tri-Mode Controllers, refer to the OuickSpecs for more detail Infrastructure management HPE iLO Standard with Intelligent Provisioning (embedded), HPE One-View Maximum devanced (requires download), HPE ILO Advanced HPE LO Advanced Premium Security Edition, and HPE One-View Advanced (require licenses) Compute Ops Management Software Warranty 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of onste support acceptage Additional information regarding worldwide limited warranty and technical service coverage. Additional information regarding worldwide limited warranty and etchnical service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service potentials and the cost for these service upgrades and the cost for these service potentials and the Cast for these service upgrades and the cost	Processor number	Up to 2
Processor speed 4.4 GHz maximum, depending on the processor Power supply type 2 Flexible Slot power supplies maximum, depending on model Expansion slots 8 maximum, for detailed descriptions refer to the OuickSpecs Maximum memory 6.0 TB with 256 GB DDRS Memory slots 24 Memory type HPE DDR5 Smart Memory Memory type HPE DDR5 Smart Memory Memory protection features ECC System fan features 6 fans included Network controller Choice of optional OCP plus standup, depending on model Storage controller HPE Tri-Mode Controllers, refer to the OuickSpecs for more detail Infrastructure management HPE ILO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download), HPE ILO Advanced, HPE ILO Advanced Premium Security Edition, and HPE OneView Advanced Open Advanced Open Standard (requires download), HPE ILO Advanced Premium Security Edition, and HPE OneView Advanced Open Standard (requires download), HPE ILO Standard open Standard (requires download), HPE ILO Standard open Standard (requires download), HPE ILO Standard open Standard (requires download), HPE ILO Advanced Premium Security Edition, and HPE OneView Advanced Open Standard (requires download), HPE ILO Standard (requires download), HPE ILO Standard	Processor core available	Up to 128, depending on the processor
Power supply type 2 Flexible Slot power supplies maximum, depending on model Expansion slots 8 maximum, for detailed descriptions refer to the QuickSpecs Maximum memory 6.0 TB with 256 GB DDRS Memory slots 24 Memory type HPE DDR5 Smart Memory Memory protection features ECC System fan features 6 fans included Choice of optional OCP plus standup, depending on model Storage controller Choice of optional OCP plus standup, depending on model HPE Tri-Mode Controllers, refer to the QuickSpecs for more detail Infrastructure management HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download), HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require icenses) Compute Ops Management Software Warranty 3/3/35 Server Warranty includes three years of parts, three years of labor, and three years of onsite support coverage. Additional information regarding worldwide limited warranty and technical support is available at: https://support.phpe.com/tppsc/wc/public/home. Additional HPE support and service coverage for your product can be product and be profused to an availability of service upgrades and the cost for these service upgrades, refer to the HPE website at https://www.hpe.com/support.	Processor cache	64 MB, 128 MB, 256 MB, 384 MB or 1152 MB L3 cache, depending on processor model
Expansion slots 8 maximum, for detailed descriptions refer to the QuickSpecs Maximum memory 6.0 TB with 256 GB DDR5 Memory slots 24 Memory type HPE DDR5 Smart Memory Memory protection features ECC System fan features 6 fans included Choice of optional OCP plus standup, depending on model Storage controller HPE Tri-Mode Controllers, refer to the QuickSpecs for more detail Infrastructure management HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download), HPE iLO Advanced HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses) Compute Ops Management Software Warranty 3/3/3. Server Warranty includes three years of parts, three years of labor, and three years of or site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: https://support.hpe.com/product_and_non_availability of service upgrades, refer to the HPE support and service coverage for your product can be purposed to additional HPE support and service coverage for your product can be purposed to additional HPE support and service coverage for your product can be purposed to additional HPE support and service coverage for your product can be purposed to additional HPE support and service coverage for your product can be purposed to additional HPE support and service coverage for your product can be purposed to additional HPE support and service coverage for your product can be purposed to additional HPE support and service coverage for your product can be purposed to additional HPE support and service coverage for your product can be purposed to additional HPE support and service coverage for your product can be purposed to additional HPE support and service coverage for your product can be purposed to additional HPE support and service coverage for your product can be purposed to additional HPE support and service coverage for your product c	Processor speed	4.4 GHz maximum, depending on the processor
Maximum memory 6.0 TB with 256 GB DDR5 Memory slots 24 Memory type HPE DDR5 Smart Memory Memory protection features ECC System fan features 6 fans included Network controller Choice of optional OCP plus standup, depending on model Storage controller HPE Tri-Mode Controllers, refer to the QuickSpecs for more detail Infrastructure management HPE ILO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download); HPE ILO Advanced, HPE ILO Advanced Premium Security Edition, and HPE OneView Advanced (require Incenses); Compute Ops Management Software Warranty 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of onsite support coverage. Additional information regarding worldwide limited warranty and technical support is available at: https://supporthpecom/hpsc/wc/public/home. Additional HPE support and service coverage for your product calls). For information on availability of service upgrades, and the cost for these service upgrades, refer to the HPE website at https://www.hpec.om/support Drive supported Up to 12 LFF SAS/SATA with 4 LFF mid drive optional, 4 LFF rear drive Up to 24 SFF SAS/SATA/NVMe with 8 SFF mid drive optional and 2 SFF rear drive optional	Power supply type	2 Flexible Slot power supplies maximum, depending on model
Memory slots 24 Memory type HPE DDRS Smart Memory Memory protection features ECC System fan features 6 fans included Network controller Choice of optional OCP plus standup, depending on model Storage controller HPE Tri-Mode Controllers, refer to the OuickSpecs for more detail Infrastructure management HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download), HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses) Compute Ops Management Software Compute Ops Management Software Warranty 3/5/5: Server Warranty includes three years of parts, three years of labor, and three years of support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at https://www.hpe.com/support. Drive supported Up to 12 LFF SAS/SATA with 4 LFF mid drive optional, 4 LFF rear drive Up to 24 SFF SAS/SATA/N/NW with 8 SFF mid drive optional and 2 SFF rear drive optional	Expansion slots	8 maximum, for detailed descriptions refer to the QuickSpecs
Memory type HPE DDR5 Smart Memory Memory protection features ECC System fan features 6 fans included Network controller Choice of optional OCP plus standup, depending on model Storage controller HPE Tri-Mode Controllers, refer to the QuickSpecs for more detail Infrastructure management HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download), HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses) Compute Ops Management Software 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of onsite support coverage. Additional information regarding worldwide limited warranty and technical support is available at: https://supporthpe.com/hpsc/w/public/home. Additional HPE support and service overage for your product can be purchased locally. For information on availability of service upgrades, and the cost for these service upgrades, refer to the HPE website at https://www.hpe.com/support. Drive supported Up to 12 LFF SAS/SATA with 4 LFF mid drive optional, 4 LFF rear drive optional	Maximum memory	6.0 TB with 256 GB DDR5
System fan features 6 fans included	Memory slots	24
System fan features 6 fans included Choice of optional OCP plus standup, depending on model Storage controller HPE Tri-Mode Controllers, refer to the QuickSpecs for more detail Infrastructure management HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download); HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses) Compute Ops Management Software Warranty 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of onsite support coverage. Additional information regarding worldwide limited warranty and technical support is available at: https://support.hpec.com/hpsc/wc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at https://www.hpec.com/support. Drive supported Up to 12 LFF SAS/SATA with 4 LFF mid drive optional, 4 LFF rear drive Up to 24 SFF SAS/SATA/NVMe with 8 SFF mid drive optional and 2 SFF rear drive optional	Memory type	HPE DDR5 Smart Memory
Network controller Choice of optional OCP plus standup, depending on model HPE Tri-Mode Controllers, refer to the QuickSpecs for more detail HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download), HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses) Compute Ops Management Software 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of onsite support coverage. Additional information regarding worldwide limited warranty and technical support is available at: https://support.hpec.com/hpsc/wc/public/home . Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at https://www.hpec.com/support. Drive supported Up to 12 LFF SAS/SATA with 4 LFF mid drive optional, 4 LFF rear drive Up to 24 SFF Fear drive optional	Memory protection features	ECC
Storage controller HPE Tri-Mode Controllers, refer to the QuickSpecs for more detail HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download), HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses) Compute Ops Management Software 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of onsite support coverage. Additional information regarding worldwide limited warranty and technical support is available at: https://support.hpe.com/hpsc/wc/public/home . Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at https://www.hpe.com/support . Drive supported Up to 12 LFF SAS/SATA with 4 LFF mid drive optional, 4 LFF rear drive Up to 24 SFF SAS/SATA/NVMe with 8 SFF mid drive optional and 2 SFF rear drive optional	System fan features	6 fans included
Infrastructure management HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download); HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses) Compute Ops Management Software 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of onsite support coverage. Additional information regarding worldwide limited warranty and technical support is available at: https://support.hpe.com/hpsc/wc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at https://www.hpe.com/support. Drive supported Up to 12 LFF SAS/SATA with 4 LFF mid drive optional, 4 LFF rear drive Up to 24 SFF SAS/SATA/NVMe with 8 SFF mid drive optional and 2 SFF rear drive optional	Network controller	Choice of optional OCP plus standup, depending on model
download); HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses) Compute Ops Management Software 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of onsite support coverage. Additional information regarding worldwide limited warranty and technical support is available at: https://support.hpe.com/hpsc/wc/public/home . Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at https://www.hpe.com/support . Drive supported Up to 12 LFF SAS/SATA with 4 LFF mid drive optional, 4 LFF rear drive Up to 24 SFF SAS/SATA/NVMe with 8 SFF mid drive optional and 2 SFF rear drive optional	Storage controller	HPE Tri-Mode Controllers, refer to the QuickSpecs for more detail
site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: https://support.hpe.com/hpsc/wc/public/home . Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at https://www.hpe.com/support . **Drive supported** **Up to 12 LFF SAS/SATA with 4 LFF mid drive optional, 4 LFF rear drive Up to 24 SFF SAS/SATA/NVMe with 8 SFF mid drive optional and 2 SFF rear drive optional	Infrastructure management	download); HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses)
Up to 24 SFF SAS/SATA/NVMe with 8 SFF mid drive optional and 2 SFF rear drive optional	Warranty	site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: https://support.hpe.com/hpsc/wc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at
	Drive supported	Up to 24 SFF SAS/SATA/NVMe with 8 SFF mid drive optional and 2 SFF rear drive optional

For additional technical information, available models and options, please reference the QuickSpecs

Make the right purchase decision. Contact our presales specialists.

Find a partner





HPE Services

No matter where you are in your transformation journey, you can count on HPE Services to deliver the expertise you need when, where and how you need it. From strategy and planning to deployment, ongoing operations and beyond, our experts can help you realize your digital ambitions.

Consulting services

Experts can help you map out your path to hybrid cloud and optimize your operations.

Managed services

HPE runs your IT operations, giving you unified control, so can focus on innovation.

Operational services

Optimize your entire IT environment and drive innovation. Manage day-to-day IT operational tasks while freeing up valuable time and resources.

- HPE Complete Care Service: a modular service designed to help optimize your entire IT environment and achieve agreed upon IT outcomes and business goals. All delivered by an assigned team of HPE experts.
- HPE Tech Care Service: the operational service experience for HPE products. The service provides access to product specific experts, an AI driven digital experience, and general technical guidance to help reduce risk and search for ways to do things better.

Lifecycle Services

Address your specific IT deployment project needs with tailored project management and deployment services.

HPE Education Services

Training and certification designed for IT and business professionals across all industries. Create learning paths to expand proficiency in a specific subject. Schedule training in a way that works best for your business with flexible continuous learning options.

<u>The Defective Media Retention</u> (DMR) service feature option applies only to Disk or eligible SSD/Flash Drives replaced by Hewlett Packard Enterprise due to malfunction. <u>Comprehensive Defective Material Retention</u> (CDMR) allows you to keep all data retentive components.

HPE GreenLake

HPE GreenLake edge-to-cloud platform is HPE's market-leading as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model, on premises, fully managed in a pay per use model.

If you are looking for more services, like **IT financing solutions**, please explore them here.

Explore HPE GreenLake

© Copyright 2023 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

AMD EPYC™ is a trademark of Advanced Micro Devices, Inc. All third-party marks are property of their respective owners. Image may differ from the actual product PSN1014689137WWEN, December, 2023.

