

HPE ProLiant DL325 Gen10 Plus v2 server



What's new

- Powered by the 3rd Generation AMD EPYC[™] Processors with more compute performance compared to the previous generation.
- Enhanced storage management with Trimode storage controllers supporting NVMe/SAS/SATA drives.
- Shorter chassis (less than one meter long) delivering improved compatibility for datacenters.
- Supports 3rd Generation AMD EPYC processors with 3D V-cache, providing 768 MB of L3 cache per processor.

Overview

Do you need a versatile single socket server that can scale with your virtualized workloads?

Building on HPE ProLiant as the intelligent foundation for hybrid cloud, the HPE ProLiant DL325 Gen10 Plus v2 server offers the 3rd Generation AMD EPYC™ Processors, delivering more performance compared to the prior generation. With up to 64 cores and up to 280W processor, 16 DIMMs for memory up to 3200 MHz, this product not only delivers low-cost virtual machines (VMs) but also better compute performance. Equipped with PCIe Gen4 capabilities, HPE ProLiant DL325 Gen10 Plus v2 server offers improved data transfer rates and higher networking speeds. Enclosed in a chassis shorter than one meter, the HPE ProLiant DL325 Gen10 Plus v2 server is more compatible and delivers a 2-socket performance in a 1-socket 1U rack profile.

Data sheet Page 2

Features

Workload Optimization

Harness major compute power - The HPE ProLiant DL325 Gen10 Plus v2 server harnesses major compute power and can support the 3rd Generation AMD EPYC $^{\rm TM}$ processors with up to 64-core 280W processor.

It provides up to 128 lanes of PCle Gen4 improves I/O throughput and reduces latency.

Tri-mode storage controllers enhance storage management coupled with an advanced storage RAID solution.

It provides real-time operational feedback on server performance plus recommendations for fine-tuning BIOS settings to customize for changing business needs.

360 Degree Security

The HPE ProLiant DL325 Gen10 Plus v2 server is tied into the silicon root of trust and the AMD Secure Processor, a dedicated security processor embedded in the AMD EPYC system on a chip (SoC), to manage secure boot, memory encryption, and secure virtualization.

HPE ProLiant security begins with the corruption-free manufacture of the server and auditing the integrity of every component – hardware and firmware – to provide verification that the server begins its lifecycle through an uncompromised supply chain.

HPE ProLiant servers provide rapid detection of a security-compromised server, even to the point of not allowing it to boot, verifies containment of malicious code, and protects healthy servers.

HPE ProLiant servers provide automated recovery from a security event, including restoration of validated firmware, and facilitating recovery of operating system, application and data connections, which provide the fastest path to bring a server back online and into normal operations.

When it's time to retire or repurpose an HPE ProLiant server, one-button secure erase speeds and simplifies the complete removal of passwords, configuration settings and data, preventing inadvertent access to previously secured information.

Intelligent Automation

The HPE ProLiant DL325 Gen10 Plus v2 server simplifies and automates management tasks, establishing a solid foundation for an open, hybrid cloud platform enabled by composability.

Embedded in HPE servers, HPE Integrated Lights-Out(iLO) is an exclusive core intelligence that monitors server status, providing the means for reporting, ongoing management, service alerting, and local or remote management to quickly identify and resolve issues.

Automation and software-defined control reduces time spent on provisioning and maintenance, and reduces deployment times.

HPE InfoSight for servers continually analyzes server infrastructure and applies real-world examples of hundreds of thousands of servers to predict and prevent problems before they can adversely affect business operations.

Delivered as-a Service

The HPE ProLiant DL325 Gen10 Plus v2 server is supported by HPE GreenLake to simplify IT infrastructure management across your entire hybrid estate. With 24x7 monitoring and management, our experts do the heavy lifting to manage your environment with services built into consumption-based solutions.

Rapidly deploy a broad portfolio of cloud services such as machine learning operations (ML Ops), containers, storage, compute, virtual machines (VMs), data protection, and more. Workload-optimized, preconfigured solutions can be

Data sheet Page 3

delivered to your facility quickly, decreasing downtime.

Hewlett Packard Enterprise provides customers choice in how they acquire and consume IT beyond traditional financing and leasing, offering options that free trapped capital, accelerate infrastructure updates, and provide on-premises payper-use consumption with HPE GreenLake.

Technical specifications HPE ProLiant DL325 Gen10 Plus v2 server

Infrastructure management HPE iLO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (requires download licenses) 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://h20564.www2.hpe.com/hpsc/wc/public/home . Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support .		
Processor family 3rd Generation AMD EPYC™ Processors 1 Processor core available Up to 64, depending on processor Up to 768 MB L5 cache, depending on processor model Processor speed 3.7 GHz maximum, depending on processor Power supply type 2 Flexible Slot power supplies maximum, depending on model Expansion slots 4 maximum, for detailed descriptions refer to the QuickSpecs Maximum memory 4.0 TB with 256 GB DDR4 Memory slots 10 Memory type HPE DDR4 SmartMemory Memory protection features ECC System fan features 8 fans included Network controller Optional OCP and/or optional PCIe Network adapters, depending on model HPE Smart Array SAS/SATA Controllers on Tri-Mode controllers, refer to the OuickSpecs for more detail Infrastructure management HPE ILO Standard with intelligent provisioning (embedded). HPE OneView Standard (requires downloss HPE ILO Advanced HPE ILO Advanced Premium Security Edition, and HPE OneView Advanced (requires support coverage. Additional information regarding worldwinde limited warranty and technical support is available in ± http:///box.www.hpec.nc/myschiplichmen. Additional HPE support overage. Additional information regarding worldwinde limited warranty and technical support is available in ± http:///box.www.hpec.nc/myschiplichmen. Additional HPE support overage. Additional information regarding worldwinde limited warranty and technical support is available in ± http:///box.www.hpec.nc/myschiplichmen. Additional HPE support overage. Additional information regarding worldwinde limited warranty and technical support is available in ± http:///box.www.hpec.nc/myschiplichmen. Additional HPE support overage for your product can be purchased locally. For information and availability of service upgrades and for the cost for these service upgrades. Fer to the HPE website at http://www.hpec.nc/myschiplichmen.	Processor type Processor type	AMD
Processor core available Up to 64, depending on processor Processor cache Up to 768 MB L3 cache, depending on processor model Processor speed 3.7 GHz maximum, depending on processor Power supply type 2 Flexible Stor power supplies maximum, depending on model Expansion slots 4 maximum, for detailed descriptions refer to the QuickSpecs Maximum memory 4.0 TB with 256 GB DDR4 Memory slots 16 Memory type HPE DDR4 SmartMemory Memory protection features ECC System fan features 8 fans included Network controller Optional OCP and/or optional PCle Network adapters, depending on model Infrastructure management HPE iLO Standard with intelligent provisioning (embedded), HPE OneView Advanced (requilicenses) Warranty 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of as se support coverage. Additional information regarding wortfivide limited warranty and service coverage. Additional information regarding wortfivide limited warranty and service coverage. Additional information regarding wortfivide limited warranty and technical and service coverage. Additional information regarding wortfivide limited warranty and technical and service coverage. Additional information regarding wortfivide limited warranty and technical and service coverage. Additional information regarding wortfivide limited warranty and technical and service coverage. Additional information regarding wortfivide limited warranty and technical and introduces three years of parts, three years of labor, and three years of the pro	Processor name	3rd Generation AMD EPYC™ Processors
Processor core available Up to 64, depending on processor Processor cache Up to 768 MB L3 cache, depending on processor model 3.7 GHz maximum, depending on processor Power supply type 2 Flexible Slot power supplies maximum, depending on model Expansion slots 4 maximum, for detailed descriptions refer to the QuickSpecs Maximum memory 4.0 TB with 256 GB DDR4 Memory slots 16 Memory type HPE DDR4 SmartMemory Memory protection features ECC System fan features 8 fans included Network controller Optional OCP and/or optional PCIe Network adapters, depending on model Storage controller HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the QuickSpecs for more detail Infrastructure management HPE ILO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires downloss HPE ILO Advanced Premium Security Edition, and HPE OneView Advanced (require security Edition, and HPE OneView Advanced (require security Edition) and HPE one view and the proposed of site support coverage. Additional infrastruction legating worldwide limited warranty and factorical service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	Processor family	3rd Generation AMD EPYC™ Processors
Processor cache Up to 768 MB L3 cache, depending on processor model 7.7 GHz maximum, depending on processor 2. Flexible Slot power supplies maximum, depending on model Expansion slots 4. maximum, for detailed descriptions refer to the OuickSpecs Maximum memory 4.0 TB with 256 GB DDR4 Memory slots 16 Memory type HPE DDR4 SmartMemory Memory protection features ECC System fan features 8 fans included Network controller Optional OCP and/or optional PCle Network adapters, depending on model Storage controller HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the QuickSpecs for more detail Infrastructure management HPE ILO Standard with intelligent provisioning (embedded). HPE OneView Standard (requires downloat HPE ILO Advanced HPE ILO Advanced Premium Security Edition, and HPE OneView Advanced (requires support is available at http://n2056.www.2 hpe.com/fpsc/w/public/home, Additional HPE support and service coverage. Additional information regarding worldwide limited warranty and technical support is available at http://n2056.www.2 hpe.com/fpsc/w/public/home, Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	Processor number	1
Processor speed 3.7 GHz maximum, depending on processor Power supply type 2. Flexible Slot power supplies maximum, depending on model Expansion slots 4. maximum, for detailed descriptions refer to the QuickSpecs Maximum memory 4.0 TB with 256 GB DDR4 Memory slots 16 Memory type HPE DDR4 SmartMemory Memory type HPE DDR4 SmartMemory ECC System fan features 8 fans included Optional OCP and/or optional PCIe Network adapters, depending on model Storage controller HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the QuickSpecs for more detail Infrastructure management HPE iLO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (requires download HPE illo Advanced), Service Warranty includes three years of parts, three years of labor, and three years of aste support is available at: http://h2056-www2.hpe.com/hpsc/w/public/home. Additional HPE support as everyce upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	Processor core available	Up to 64, depending on processor
Power supply type 2 Flexible Slot power supplies maximum, depending on model Expansion slots 4 maximum, for detailed descriptions refer to the OuickSpecs 4.0 TB with 256 GB DDR4 Memory slots 16 HPE DDR4 SmartMemory Memory type HPE DDR4 SmartMemory ECC System fan features 8 fans included Optional OCP and/or optional PCle Network adapters, depending on model Storage controller HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the OuickSpecs for more detail infrastructure management HPE i.L.O Standard with intelligent provisioning (embedded), HPE OneView Standard (requires downloss HPE i.L.O Advanced HPE i.L.O Advanced Premium Security Edition, and HPE OneView Advanced (requires support is available at: http://www.hpe.com/support. 3/5/3: Server Warranty includes three years of parts, three years of labor, and three years of site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://www.hpe.com/support . Additional HPE website at http://www.hpe.com/support . Service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support .	Processor cache	Up to 768 MB L3 cache, depending on processor model
Expansion slots 4 maximum, for detailed descriptions refer to the QuickSpecs Maximum memory 4.0 TB with 256 GB DDR4 Memory slots 16 Memory type HPE DDR4 SmartMemory Memory protection features ECC System fan features 8 fans included Optional OCP and/or optional PCIe Network adapters, depending on model Storage controller Optional OCP and/or optional PCIe Network adapters, depending on model HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the QuickSpecs for more detail Infrastructure management HPE iLO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (requires support is available at: <a <a="" additional="" and="" at="" availability="" be="" c="" can="" cost="" coverage="" for="" home.="" hpe="" hps="" href="http://www.hpe-com/support" http:="" hz056-k-www2-hpe-com="" information="" locally.="" of="" on="" product="" public="" purchased="" refer="" service="" support="" the="" these="" to="" upgrades="" upgrades,="" wc="" website="" your="">http://www.hpe-com/support .	Maximum memory	4.0 TB with 256 GB DDR4
Memory protection features 8 fans included Optional OCP and/or optional PCle Network adapters, depending on model HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the OuickSpecs for more detail Infrastructure management HPE iLO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (requires support savailable at: http://h20564.www2.hpe.com/hpsc/wc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	Memory slots	16
System fan features 8 fans included Optional OCP and/or optional PCIe Network adapters, depending on model Storage controller HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the QuickSpecs for more detail Infrastructure management HPE iLO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (requires solved licenses) Warranty 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of osite support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://h2056-www2.hpe.com/hpsc/wc/public/home. Additional HPE support and service overage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	Memory type	HPE DDR4 SmartMemory
Network controller Optional OCP and/or optional PCle Network adapters, depending on model HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the QuickSpecs for more detail Infrastructure management HPE iLO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (requires security Edition), and HPE OneView Advanced (requires support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://h20564.www2.hpe.com/hpsc/wc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support .	Memory protection features	ECC
Storage controller HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the QuickSpecs for more detail HPE iLO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (requires support source) 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://h20564.www2.hpe.com/hpsc/wc/public/home. Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support.	System fan features	8 fans included
Infrastructure management HPE iLO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (requires download licenses) 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://h20564.www2.hpe.com/hpsc/wc/public/home . Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support .	Network controller	Optional OCP and/or optional PCle Network adapters, depending on model
Warranty 3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://h20564.www2.hpe.com/hpsc/wc/public/home . Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support .	Storage controller	HPE Smart Array SAS/SATA Controllers or Tri-Mode controllers, refer to the QuickSpecs for more details
site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: http://h20564.www2.hpe.com/hpsc/wc/public/home . Additional HPE support and service coverage for your product can be purchased locally. For information on availability of service upgrades and the cost for these service upgrades, refer to the HPE website at http://www.hpe.com/support .	Infrastructure management	HPE iLO Standard with intelligent provisioning (embedded), HPE OneView Standard (requires download) HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses)
**	Warranty	
Drive supported 4 LFF SAS/SATA or 10 SFF SAS/SATA/NVMe, depending on model	Drive supported	4 LFF SAS/SATA or 10 SFF SAS/SATA/NVMe, depending on model

For additional technical information, available models and options, please reference the QuickSpecs

Make the right purchase decision. Contact our presales specialists.

Find a partner





HPE Services

No matter where you are in your transformation journey, you can count on HPE Services to deliver the expertise you need when, where and how you need it. From strategy and planning to deployment, ongoing operations and beyond, our experts can help you realize your digital ambitions.

Consulting services

Experts can help you map out your path to hybrid cloud and optimize your operations.

Managed services

HPE runs your IT operations, giving you unified control, so can focus on innovation.

Operational services

Optimize your entire IT environment and drive innovation. Manage day-to-day IT operational tasks while freeing up valuable time and resources.

- HPE Complete Care Service: a modular service designed to help optimize your entire IT environment and achieve agreed upon IT outcomes and business goals. All delivered by an assigned team of HPE experts.
- HPE Tech Care Service: the operational service experience for HPE products. The service provides access to product specific experts, an AI driven digital experience, and general technical guidance to help reduce risk and search for ways to do things better.

Lifecycle Services

Address your specific IT deployment project needs with tailored project management and deployment services.

HPE Education Services

Training and certification designed for IT and business professionals across all industries. Create learning paths to expand proficiency in a specific subject. Schedule training in a way that works best for your business with flexible continuous learning options.

<u>The Defective Media Retention</u> (DMR) service feature option applies only to Disk or eligible SSD/Flash Drives replaced by Hewlett Packard Enterprise due to malfunction. <u>Comprehensive Defective Material Retention</u> (CDMR) allows you to keep all data retentive components.

HPE GreenLake

HPE GreenLake edge-to-cloud platform is HPE's market-leading as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model, on premises, fully managed in a pay per use model.

If you are looking for more services, like **IT financing solutions**, please explore them here.

Explore HPE GreenLake

© Copyright 2024 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered bardware

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

AMD EPYC™ is a trademark of Advanced Micro Devices, Inc. All third-party marks are property of their respective owners. Image may differ from the actual product PSN1013291330WWEN, January, 2024.

